















approx. 4,045 x 1,815 x 2,110 mm

approx. 6,058 x 2,438 x 2,715 mm

approx. 7,450 x 2,438 x 2,591 mm

approx. 5,250 kg











Dimensions basis

Dead weight

Dimensions 20" container

Dimensions 24" container

JetPower 600 P5-70 Pump type 800/1,000/1,200/1,400/1,550/ Standard pressure stages 2,000/2,500/2,800 bar 265-381 l/min at 800 bar 206-297 l/min at 1,000 bar 156-255 l/min at 1,200 bar 132-190 l/min at 1,400 bar Flow rate 98-141 l/min at 2.000 bar 63-91 l/min at 2,500 bar 48.5-70 l/min at 2,800 bar 48.5-70 l/min at 3,000 bar Drive power 565 kW/6 cyl./16.2 l with Emision level Diesel tank 900 l (optional) Water tank 1,500 l (optional)

The JetPower 600 is an absolute high performance unit. This professional unit is in the right place wherever large surfaces have to be treated or cleaning tasks require a high level of power.

Highlights

- High pressure unit from the top range
- Highly variable use, suitable for almost any task
- Sufficient power reserves on a compact footprint
- Easy and userfriendly control unit with colour display (optinally readable also with insolation)
- Excellent performance weight, flexible mounting options, e.g. as a container structure or mounted on an HGV








Boots







Lance cleaning equipment



URACA – the professional system provider in the field of **High Pressure**

